

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Sheet	1	of	2
-------	---	----	---

Complete if Known

Application Number	10/083,168
Filing Date	February 26, 2002
First Named Inventor	Chen W. Liaw
Art Unit	1646
Examiner Name	Basi, Nirmal Singh
Attorney Docket Number	23 US10.CIP

U.S. PATENT DOCUMENTS

[illegible]

FOREIGN PATENT DOCUMENTS

[illegible]


**Examiner
Signature**

Date Considered

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 5 Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.



PTO/SB/08b(05-03)

Approved for use through 04/30/2003. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

Substitute for form 1449A/PTO

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**

(use as many sheets as necessary)

Sheet 2 of 2

Complete if Known

Application Number	10/083,168
Filing Date	February 26, 2002
First Named Inventor	Chen W. Liaw
Group Art Unit	1646
Examiner Name	Basi, Nirmal Singh
Attorney Docket Number	23.US10.CIP

OTHER PRIOR ART -- NON PATENT LITERATURE DOCUMENTS


Examiner Initials *	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
NR	A2	Bao, et al., Database SwissProt, Acc. No. P25089, May 1, 1992, Alignment for SEQ ID NO 2.	
	A3	Bao, et al, Database PIR 73, Acc. No. C42009, September 30, 1993, Alignment for SEQ ID NO 3.	
	A4	Durstin, et al., EMBL Database, Acc No. AC005946, November 8, 1994, Alignment for SEQ ID NO 1.	
	A5	Lamerdin, et al., EMBL Database, Acc. No. AC005946, November 7, 1998, Alignment for SEQ ID NO 1.	
	A6	Lamerdin, et al., EMBL Database, Acc No. AC06272, January 4, 1999, Alignment for SEQ ID NO 1.	

Examiner Signature	Nrm SR	Date Considered	6/30/05
-----------------------	--------	--------------------	---------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). ² Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.



If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.



RECEIVED
JUN 05 2002
TECH CENTER 1600/2900 f 18

Form PTO-1449 Modified		Docket No. AREN-0320	Serial No. 10/083,168
List of Patent and Publications Cited by Applicant (Use several sheets if necessary)		Applicant Chen W. Liaw et al.	
U.S. Department of Commerce Patent and Trademark Office		Filing Date February 26, 2002	Group 1646
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)			
	AA	Alla, S.A. et al., "Extracellular domains of the bradykinin B2 receptor involved in ligand binding and agonist sensing defined by anti-peptide antibodies," <i>J. Biol. Chem.</i> , 1996, 271, 1748-1755	
	AB	Advenier, C. et al., "Effects on the isolated human bronchus of SR 48968, a potent and selective nonpeptide antagonist of the neurokinin A (NK ₂) receptors," <i>Am. Rev. Respir. Dis.</i> , 1992, 146(5, Pt. 1), 1177-1181	
	AC	Alexander, W.S. et al., "Point mutations within the dimer interfact homology domain of c-Mpl induce constitutive receptor activity and tumorigenicity," <i>EMBO J.</i> , 1995, 14(22), 5569-5578	
	AD	Arvanitakis, L. et al., "Human herpesvirus KSHV encodes a constitutively active G-protein-coupled receptor linked to cell proliferation," <i>Nature</i> , 1997, 385, 347-349	
	AE	Barker, E.L. et al., "Constitutively active 5-hydroxytryptamine _{2C} receptors reveal novel inverse agonist activity of receptor ligands," <i>J. Biol. Chem.</i> , 1994, 269(16), 11687-11690	
	AF	Baxter, G., "5-HT ₂ receptors: a family re-united?" <i>Trends Pharmacol. Sci.</i> , 1995, 16, 105-110	
	AG	Besmer, P. et al., "A new acute transforming feline retrovirus and relationship of its oncogene <i>v-kit</i> with the protein kinase gene family," <i>Nature</i> , 1986, 320, 415	
	AH	Blin, N. et al., "Mapping of single amino acid residues required for selective activation of G _{q/11} by the m3 muscarinic acetylcholine receptor," <i>J. Biol. Chem.</i> , 1995, 270, 17741-17748	
	AI	Bond, R.A. et al., "Inverse agonists and G-protein-coupled receptors," in <i>Receptor-Based Drug Design</i> , Leff, P. (ed.), New York, M. Dekker, 1998, 363-377	
	AJ	Boone, C. et al., "Mutations that alter the third cytoplasmic loop of the a-factor receptor lead to a constitutive and hypersensitive phenotype," <i>Proc. Natl. Acad. Sci. USA</i> , 1993, 90(21), 9921-9925	
EXAMINER		DATE CONSIDERED 6/30/02	

COPY OF PAPERS
ORIGINAL FILED



RECEIVED

JUN 05 2002

TECH CENTER 1600/29002 of 18

Form PTO-100 Modified

List of Patent and Publications
Cited by Applicant
(Use several sheets if necessary)U.S. Department of Commerce
Patent and Trademark Office

Pocket No.

AREN-0320

Serial No.

10/083,168

Applicant

Chen W. Liaw et al.

Filing Date

February 26, 2002

Group

1646

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

N43	AK	Burstein, E.S. et al., "Constitutive activation of chimeric m2/m5 muscarinic receptors and delineation of G-protein coupling selectivity domains," <i>Biochem. Pharmacol.</i> , 1996, 51(4), 539-544
	AL	Burstein, E.S. et al., "Amino acid side chains that define muscarinic receptor/G-protein coupling. Studies of the third intracellular loop," <i>J. Biol. Chem.</i> , 1996, 271(6), 2882-2885
	AM	Burstein, E.S. et al., "Constitutive activation of muscarinic receptors by the G-protein G _q ," <i>FEBS Lett.</i> , 1995, 363(3), 261-263
	AN	Bylund, D., "International union of pharmacology nomenclature of adrenoceptors," <i>Pharmacol. Rev.</i> , 1994, 46, 121-136
	AO	Casey, C. et al., "Constitutively active mutant 5-HT _{2A} serotonin receptors: inverse agonist activity of classical 5HT _{2A} antagonists," <i>Soc. Neurosci.</i> , 1996, Abstract #699.10
	AP	Cheatham, B. et al., "Substitution of the <i>erbB-2</i> oncoprotein transmembrane domain activates the insulin receptor and modulates the action of insulin-receptor substrate 1," <i>Proc. Natl. Acad. Sci. USA</i> , 1993, 90, 7336-7340
	AQ	Chen, J. et al., "Tethered Ligand Library for Discovery of Peptide Agonists," <i>J. Biol. Chem.</i> , 1995, 270, 23398-23401
	AR	Chen, T.S. et al., "Microbial hydroxylation and glucuronidation of the angiotensin II (AII) receptor antagonist MK 954," <i>J. Antibiot. (Tokyo)</i> , 1993, 46(1), 131-134
	AS	Chen, W. et al., "A colorimetric assay for measuring activation of G _i - and G _q -coupled signaling pathways," <i>Anal. Biochem.</i> , 1995, 226(2), 349-354
	AT	Chidiac, P. et al., "Inverse agonist activity of β -adrenergic antagonists," <i>J. Pharm. Exp. Ther.</i> , 1994, 45, 490-499
V	AU	Clozel, M. et al., "In vivo pharmacology of Ro 46-2005, the first synthetic nonpeptide endothelin receptor antagonist: implications for endothelin physiology," <i>J. Cardiovas. Pharmacol.</i> , 1993, 22(Suppl. 8), S377-S379



EXAMINER

N/n

DATE CONSIDERED

6/30/05

COPY OF PAPERS
ORIGINALLY FILED



RECEIVED

JUN 05 2002

TECH CENTER 1600/2000

Form PTO-1449 Modified

Packet No.
AREN-0320

Serial No.
10/083,168

List of Patent and Publications
Cited by Applicant
(Use several sheets if necessary)

Applicant
Chen W. Liaw et al.

U.S. Department of Commerce
Patent and Trademark Office

Filing Date
February 26, 2002

Group
1646

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

NSA	AV	Collesi, C. et al., "A splicing variant of the <i>RON</i> transcript induces constitutive tyrosine kinase activity and an invasive phenotype," <i>Mol. Cell. Biol.</i> , 1996, 16(2), 5518-5526
	AW	Cooper, C.S. et al., "Molecular cloning of a new transforming gene from a chemically transformed human cell line," <i>Nature</i> , 1984, 311, 29-33
	AX	De Dios, I. et al., "Effect of L-364,718 (CCK Receptor Antagonist) on Exocrine Pancreatic Secretion of Hydrocortison-Treated Rats," <i>Pancreas</i> , 1994, 9(2), 212-218
	AY	Desbios-Mouthon, C. et al., "Deletion of Asn ²⁸¹ in the α -subunit of the human insulin receptor causes constitutive activation of the receptor and insulin desensitization," <i>J. Clin. Endocrinol. Metab.</i> , 1996, 81(2), 719-727
	AZ	Di Renzo, M.F. et al., "Expression of the Met/HGF receptor in normal and neoplastic human tissues," <i>Oncogene</i> , 1991, 6(11), 1997-2003
	BA	Di Renzo, M.F. et al., "Overexpression of the c-MET/HGF receptor gene in human thyroid carcinomas," <i>Oncogene</i> , 1992, 7, 2549-2553
	BB	Duprez, L. et al., "Germline mutations of the thyrotropin receptor gene cause non-autoimmune autosomal dominant hyperthyroidism," <i>Nature Genetics</i> , 1994, 7, 396-401
	BC	Eggericksx, D. et al., "Molecular Cloning of an Orphan G-Protein-Coupled Receptor that Constitutively Activates Adenylate Cyclase," <i>Biochem. J.</i> , 1995, 309, 837-843
	BD	Evans, B.E. et al., "Orally Active, Nonpeptide Oxytocin Antagonists," <i>J. Med. Chem.</i> , 1992, 35, 3919-3927
	BE	Fu, M. et al., "Functional autoimmune epitope on α_1 -adrenergic receptors in patients with malignant hypertension," <i>Lancet</i> , 1994, 344, 1660-1663
	BF	Furitsu, T. et al., "Identification of Mutations in the Coding Sequence of the Proto-oncogene c- <i>kit</i> in a Human Mast Cell Leukemia Cell Line Causing Ligand-independent Activation of c- <i>kit</i> Product," <i>J. Clin. Invest.</i> , 1993, 92, 1736-1744
✓	BG	Gellai, M. et al., "Nonpeptide Endothelin Receptor Antagonists V: Prevention and Reversal of Acute Renal Failure in the Rat by SB 209670," <i>J. Pharm. Exp. Therap.</i> , 1995, 275(1), 200-206

EXAMINER

NSA m

DATE CONSIDERED

6/30/05

COPY OF PAPERS
ORIGINALLY FILED

RECEIVED

JUN 05 2002

TECH CENTER 1680 of 18

Form PTO-1449 Modified

Docket No.
AREN-0320Serial No.
10/083,168List of Patent and Publications
Cited by Applicant
(Use several sheets if necessary)Applicant
Chen W. Liaw et al.U.S. Department of Commerce
Patent and Trademark OfficeFiling Date
February 26, 2002Group
1646

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

PS0	BH	Gitter, B. et al., "Pharmacological Characterization of LY303870: A Novel Potent and Selective Nonpeptide Substance P (Neurokinin-1) Receptor Antagonist," <i>J. Pharm. Exp. Therp.</i> , 1995, 275(2), 737-744
	BI	Gouilleux-Gruart, V. et al., "STAT-Related Transcription Factors are Constitutively Activated in Peripheral Blood Cells from Acute Leukemia Patients," <i>Blood</i> , 1996, 87(5), 1692-1697
	BJ	Hansson, J.H. et al., "Hypertension caused by a truncated epithelial sodium channel γ subunit: genetic heterogeneity of Liddle syndrome," <i>Nat. Genet.</i> , 1995, 11(1), 76-82
	BK	Hasegawa, H. et al., "Two Isoforms of the Prostaglandin E Receptor EP3 Subtype Different in Agonist-independent Constitutive Activity," <i>J. Biol. Chem.</i> , 1996, 271(4), 1857-1860
	BL	Hendler, F. et al., "Human Squamous Cell Lung Cancers Express Increased Epidermal Growth Factor Receptors," <i>J. Clin. Invest.</i> , 1984, 74, 647-651
	BM	Herrick-Davis, K. et al., "Constitutively Active 5HT _{2C} Serotonin Receptor Created by Site-Directed Mutagenesis," <i>Soc. Neurosci.</i> , Abstract No. 699.18
	BN	Hieble, J., "International union of pharmacology. X. Recommendation for nomenclature of 1-adrenoceptors," <i>Pharm. Rev.</i> , 1995, 47, 267-270
	BO	Hill, S., "Distribution, Properties, and Functional Characteristics of Three Classes of Histamine Receptor," <i>Am. Soc. Pharm. Exp. Therap.</i> , 1990, 42(1), 45-83
	BP	Högger, P. et al., "Activating and Inactivating Mutations in - and C-terminal i3 Loop Junctions of Muscarinic Acetylcholine Hm1 Receptors," <i>J. Biol. Chem.</i> , 1995, 270(13), 7405-7410
	BQ	Ikeda, H. et al., "Expression and Functional Role of the Proto-oncogene <i>c-kit</i> in Acute Myeloblastic Leukemia Cells," <i>Blood</i> , 1991, 78(11), 2962-2968
	BR	Imura, R. et al., "Inhibition by HS-142-1, a novel nonpeptide atrial natriuretic peptide antagonist of microbial origin, of atrial natriuretic peptide-induced relaxation of isolated rabbit aorta through the blockade of guanylyl cyclase-linked receptors," <i>Mol. Pharm.</i> , 1992, 42, 982-990

EXAMINER

DATE CONSIDERED 6/3/05

COPY OF PAPERS
ORIGINALLY FILED

OIP
MAY 28 2002
CANCEL
MAILED
PATENT & TRADEMARK OFFICE

OIP
MAY 28 2002
PATENT & TRADEMARK OFFICE


RECEIVED

JUN 05 2002

TECH CENTER 1600/2000 of 18

Form PTO-1492 Modified		Docket No. AREN-0320	Serial No. 10/083,168
List of Patent and Publications Cited by Applicant (Use several sheets if necessary)		Applicant Chen W. Liaw et al.	
U.S. Department of Commerce Patent and Trademark Office		Filing Date February 26, 2002	Group 1646
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)			
NRB	BS	Jakubik, J. et al., "Constitutive activity of the M ₁ -M ₄ subtypes of muscarinic receptors in transfected CHO cells and of muscarinic receptors in the heart cells revealed by negative antagonists," <i>FEBS Letts.</i> , 1995, 377, 275-279	
	BT	Kjelsberg, M.A. et al., "Constitutive activation of the α_{1B} -adrenergic receptor by all amino acid substitutions at a single site," <i>J. Biol. Chem.</i> , 1992, 267(3), 1430-1433	
	BU	Knapp, R. et al., "Molecular biology and pharmacology of cloned opioid receptors," <i>FASEB J.</i> , 1995, 9, 516-525	
	BV	Kosugi, S. et al., "Characterization of heterogeneous mutations causing constitutive activation of the luteinizing hormone receptor in familial male precocious puberty," <i>Human Mol. Genetics</i> , 1995, 4(2), 183-188	
	BW	Kosugi, S. et al., "Identification of Thyroid-Stimulating Antibody-Specific Interaction Sites in the N-Terminal Region of the Thyrotropin Receptor," <i>Mol. Endocrinology</i> , 1993, 7, 114-130	
	BX	Kraus, M. et al., "Demonstration of ligand-dependent signaling by the <i>erbB-3</i> tyrosine kinase and its constitutive activation in human breast tumor cells," <i>Proc. Natl. Acad. Sci. USA</i> , 1993, 90, 2900-2904	
	BY	Kudlacz, E. et al., "In Vitro and In Vivo Characterization of MDL 105,212A, a Nonpeptide NK-1/NK-2 Tachykinin Receptor Antagonist," <i>J. Pharm. Exp. Therap.</i> , 1996, 277(2), 840-851	
	BZ	Kuriu, A. et al., "Proliferation of Human Myeloid Leukemia Cell Line Associated with the Tyrosine-Phosphorylation and Activation of the Proto-oncogene <i>c-kit</i> Product," <i>Blood</i> , 1991, 78(11), 2834-2840	
	CA	Labbe-Jullie, C. et al., "Effect of the nonpeptide neurotensin antagonist, SR 48692, and two enantiomeric analogs, SR 48527 and SR 49711, on neurotension binding and contractile responses in guinea pig ileum and colon," <i>J. Pharm. Exp. Therap.</i> , 1994, 271(1), 267-276	
	CB	Latronico, A. et al., "A novel mutation of the luteinizing hormone receptor gene causing male gonadotropin-independent precocious puberty," <i>J. Clin. Endocrinol. Metabl.</i> , 1995, 80(8), 2490-2494	
EXAMINER		DATE CONSIDERED	
N s m P h		6/30/08	

COPY OF PAPERS
ORIGINALLY FILED



RECEIVED

JUN 05 2002

TECH CENTER 1600/2500 Sheet 6 of 18

Form PTO-148 Modified

List of Patent and Publications
Cited by Applicant
(Use several sheets if necessary)U.S. Department of Commerce
Patent and Trademark OfficeDocket No.
AREN-0320Serial No.
10/083,168Applicant
Chen W. Liaw et al.Filing Date
February 26, 2002Group
1646

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)


NSB	CC	Laue, L. et al., "Genetic heterogeneity of constitutively activating mutations of the human luteinizing hormone receptor in familial male-limited precocious puberty," <i>Proc. Natl. Acad. Sci USA</i> , 1995, 92, 1906-1910
	CD	Løvlie, R. et al., "The Ca ²⁺ -sensing receptor gene (PCAR1) mutation T151M in isolated autosomal dominant hypoparathyroidism," <i>Hum. Genet</i> , 1996, 98, 129-133
	CE	Lefkowitz, R. et al., "Constitutive activity of receptors coupled to guanine nucleotide regulatory proteins," <i>Trends Pharmacol. Sci.</i> , 1993, 14, 300-307
	CF	Liebermann, T. et al., "Amplification, enhanced expression and possible rearrangement of EGF receptor gene in primary human brain tumours of glial origin," <i>Nature</i> , 1985, 313, 144-147
	CG	Liu, C. et al., "Overexpression of c-met proto-oncogene but not epidermal growth factor receptor or c-erbB-2 in primary human colorectal carcinomas," <i>Oncogene</i> , 1992, 7, 181-185
	CH	Liu, J. et al., "Molecular mechanisms involved in muscarinic acetylcholine receptor-mediated G protein activation studied by insertion mutagenesis," <i>J. Biol. Chem.</i> , 1996, 271(11), 6172-6178
	CI	Lonardo, F. et al., "The normal erbB-2 product is an atypical receptor-like tyrosine kinase with constitutive activity in the absence of ligand," <i>New Biologist</i> , 1990, 2(11), 992-1003
	CJ	Maenhaut, C. et al., "RDC8 codes for an adenosine A2 receptor with physiological constitutive activity," <i>Biochem. Biophys. Res. Comm.</i> , 1990, 173(3), 1169-1178
	CK	Mann, J. et al., "Increased serotonin, and β -adrenergic receptor binding in the frontal cortices of suicide victims," <i>Arch. Gen. Psychiatry</i> , 1986, 43, 954-959
	CL	Marone, R.L. et al., "Human CRF receptor chimeras: Mapping of ligand binding determinants," 26th Meeting of the Society of Neuroscience, Washington, D.C. November 16-21, 1996, Abstract No. 609.8
	CM	Magnusson, Y. et al., "Autoimmunity in idiopathic dilated cardiomyopathy," <i>Circulation</i> , 1994, 89, 2760-2767

EXAMINER

DATE CONSIDERED

6/30/88

COPY OF PAPERS
ORIGINALLY FILED



RECEIVED

JUN 05 2002

TECH CENTER 1600/2900 Sheet 7 of 18

Form PTO-1400 Modified

List of Patent and Publications
Cited by Applicant
(Use several sheets if necessary)

U.S. Department of Commerce
Patent and Trademark Office

Docket No.
AREN-0320

Serial No.
10/083,168

Applicant
Chen W. Liaw et al.

Filing Date
February 26, 2002

Group
1646

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

NSB	CN	Matus-Leibovitch, N. et al., "Truncation of the thyrotropin-releasing hormone receptor carboxyl tail causes constitutive activity and leads to impaired responsiveness in <i>Xenopus</i> Oocytes and AtT20 Cells," <i>J. Biol. Chem.</i> , 1995, 270(3), 1041-1047
	CO	Myles, G.M. et al., "Tyrosine 569 in the c-Fms juxtamembrane domain is essential for kinase activity and macrophage colony-stimulating factor-dependent internalization," <i>Mol. Cell. Biol.</i> , 1994, 14(7), 4843-4854
	CP	Nanevich, T. et al., "Thrombin receptor activating mutations," <i>J. Biol. Chem.</i> , 1996, 271(2), 702-706
	CQ	Natali, P.G. et al., "Expression of the c-Met/HGF receptor in human melanocytic neoplasms: demonstration of the relationship to malignant melanoma tumour progression," <i>Br. J. Cancer</i> , 1993, 68, 746-750
	CR	Neilson, K.M. et al., "Constitutive activation of fibroblast growth factor receptor-2 by a point mutation associated with Crouzon syndrome," <i>J. Biol. Chem.</i> , 1995, 270(44), 26037-26040
	CS	Oda, S. et al., "Pharmacological profile of HS-142-1, a novel nonpeptide atrial natriuretic peptide (ANP) antagonist of microbial origin. II. Restoration by HS-142-1 of ANP-induced inhibition of aldosterone production in adrenal glomerulosa cells," <i>J. Pharm. Exp. Ther.</i> , 1992, 263(1), 241-245
	CT	O'Dowd, B.F. et al., "Site-directed mutagenesis of the cytoplasmic domains of the human β_2 -adrenergic receptor," <i>J. Biol. Chem.</i> , 1988, 263(31), 15985-15992
	CU	Offermanns, S. et al., " $G_{\alpha_{15}}$ and $G_{\alpha_{16}}$ Couple a Wide Variety of Receptors to Phospholipase C," <i>J. Biol. Chem.</i> , 1995, 270, 15175-15180
	CV	Palkowitz, A.D. et al., "Structural evolution and pharmacology of a novel series of triacid angiotensin II receptor antagonists," <i>J. Med. Chem.</i> , 1994, 37, 4508-4521
	CW	Parent, J. et al., "Mutations of two adjacent amino acids generate inactive and constitutively active forms of the human platelet-activating factor receptor," <i>J. Biol. Chem.</i> , 1996, 271(14), 7949-7955
	CX	Parfitt, A.M. et al., "Hypercalcemia due to constitutive activity of the parathyroid hormone (PTH)/PTH-related peptide receptor: comparison with primary hyperparathyroidism," <i>J. Clin. Endocr. Metab.</i> , 1996, 81, 3584-3588



EXAMINER

NSB R

DATE CONSIDERED

6/30/02

COPY OF PAPERS
ORIGINALY FILED



RECEIVED

JUN 05 2002

TECH CENTER 1600/2900
Sheet 8 of 18

Form PTO-100 Modified

List of Patent and Publications
Cited by Applicant
(Use several sheets if necessary)

U.S. Department of Commerce
Patent and Trademark Office

Socket No.
AREN-0320

Serial No.
10/083,168

Applicant
Chen W. Liaw et al.

Filing Date
February 26, 2002

Group
1646

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

NW	CY	Parma, J. et al., "Somatic mutations in the thyrotropin receptor gene cause hyperfunctioning thyroid adenomas," <i>Nature</i> , 1993, 365, 649-651
	CZ	Pei, G. et al., "A constitutive active mutant β_2 -adrenergic receptor is constitutively desensitized and phosphorylated," <i>Proc. Natl. Acad. Sci. USA</i> , 1994, 91, 2699-2702
	DA	Pendley, C.E. et al., "The gastrin/cholecystokinin-B receptor antagonist L-365,260 reduces basal acid secretion and prevents gastrointestinal damage induced by aspirin, ethanol and cysteamine in the rat," <i>J. Pharmacol. Exp. Ther.</i> , 1993, 265(3), 1348-1354
	DB	Peroutka, S., "Serotonin receptor subtypes. Their evolution and clinical relevance," <i>CNS Drugs</i> , 1995, 4 (Suppl. 1), 18-28
	DC	Pettibone, D.J. et al., "Development and pharmacological assessment of novel peptide and nonpeptide oxytocin antagonists," <i>Regul. Pept.</i> , 1993, 45, 289-293
	DD	Prat, M.P. et al., "The receptor encoded by the human <i>c-Met</i> oncogene is expressed in hepatocytes, epithelial cells and solid tumors," <i>Int. J. Cancer</i> , 1991, 49, 323-328
	DE	Prezeua, L. et al., "Changes in the carboxy-terminal domain of metabotropic glutamate receptor 1 by alternate splicing generate receptors with differing agonist-independent activity," <i>Mol. Pharmacol.</i> , 1996, 49, 422-429
	DF	Rakovska, A. et al., "Effect of loxiglumide (CR 1505) on CCK-induced contractions and ^3H -acetylcholine release from guinea-pig gallbladder," <i>Neuropeptides</i> , 1993, 25(5), 271-276
	DG	Ren, Q. et al., "Constitutive active mutants of the α_2 -adrenergic receptor," <i>J. Biol. Chem.</i> , 1993, 268, 16483-16487
	DH	Reynolds, E.E. et al., "Pharmacological characterization of PD 156707, an orally active ET_A receptor antagonist," <i>J. Pharmacol. Exp. Ther.</i> , 1995, 273(3), 1410-1417
	DI	Robbins, L.S. et al., "Pigmentation phenotypes of variant extension locus alleles result from point mutations that alter MSH receptor function," <i>Cell</i> , 1993, 72, 827-834
✓	DJ	Rong, S. et al., "Met expression and sarcoma tumorigenicity," <i>Cancer</i> , 1993, 53(22), 5355-5360



EXAMINER

Ni SR

DATE CONSIDERED

6/30/02

COPY OF PAPERS
ORIGINALLY FILED



RECEIVED

JUN 05 2002

TECH CENTER 1600/2900

Sheet 9 of 18

Form PTO-1449 ModifiedList of Patent and Publications
Cited by Applicant
(Use several sheets if necessary)U.S. Department of Commerce
Patent and Trademark OfficeDocket No.
AREN-0320Serial No.
10/083,168Applicant
Chen W. Liaw et al.Filing Date
February 26, 2002Group
1646**OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)**

NR	DK	Samama, P. et al., "A mutation-induced activation state of the β 2-adrenergic receptor," <i>J. Biol. Chem.</i> , 1993, 268(7), 4625-4636
	DL	Sautel, M. et al., "Neuropeptide Y and the nonpeptide antagonist BIBP 3226 share an overlapping binding site at the human Y1 receptor," <i>Am. Soc. Pharm. Exp. Ther.</i> , 1996, 50, 285-292
	DM	Sawutz, D.G. et al., "Pharmacology and structure-activity relationships of the nonpeptide bradykinin receptor antagonist WIN 64338," <i>Can. J. Physiol. Pharmacol.</i> , 1995, 73, 805-811
	DN	Scheer, A. et al., "Constitutively active G protein-coupled receptors: potential mechanisms of receptor activation," <i>J. Rec. Signal Transduct. Res.</i> , 1997, 17(1-3), 57-73
	DO	Scheer, A. et al., "The activation process of the α_{1B} -adrenergic receptor: Potential role of protonation and hydrophobicity of a highly conserved aspartate," <i>Proc. Natl. Acad. Sci. USA</i> , 1997, 94, 808-813
	DP	Schwinn, D.A. et al., "Cloning and pharmacological characterization of human α 1-adrenergic receptors: sequence corrections and direct comparison with other species homologues," <i>J. Pharmacol.</i> , 1995, 272(1), 134-142
	DQ	Schild, L. et al., "A mutation in the epithelial sodium channel causing Liddle disease increases channel activity in the <i>Xenopus laevis</i> oocyte expression system," <i>Proc. Natl. Acad. Sci. USA</i> , 1995, 92, 5699-5703
	DR	Seeman, P. et al., "Dopamine receptor pharmacology," <i>Trends Pharmacol. Sci.</i> , 1994, 15, 264-270
	DS	Seeman, P. et al., "Dopamine D4 receptors elevated in schizophrenia," <i>Nature</i> , 1993, 365, 441-445
	DT	Serradeil-Le Gale, C. et al., "Biochemical and pharmacological properties of SR 49059, a new, potent, nonpeptide antagonist of rat and human vasopressin V_{1a} receptors," <i>J. Clin. Invest.</i> , 1993, 92, 224-231
	DU	Sharif, M. et al., "Malignant transformation by G protein-coupled hormone receptors," <i>Mol. Cell. Endocrinology</i> , 1994, 100, 115-119
EXAMINER		DATE CONSIDERED 6/30/08

COPY OF PAPERS
ORIGINALLY FILED

RECEIVED

JUN 05 2002

TECH CENTER 1600/2800

Sheet 10 of 18

Form PTO-1449 Modified

Docket No.
AREN-0320Serial No.
10/083,168List of Patent and Publications
Cited by Applicant
(Use several sheets if necessary)Applicant
Chen W. Liaw et al.U.S. Department of Commerce
Patent and Trademark OfficeFiling Date
February 26, 2002Group
1646

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)


NSH	DV	Showers, M.O. et al., "Activation of the erythropoietin receptor by the Friend spleen focus-forming virus gp55 glycoprotein induces constitutive protein tyrosine phosphorylation," <i>Blood</i> , 1992, 80(12), 3070-3078
	DW	Skinner, R.H. et al., "Direct measurement of the binding of RAS to neurofibromin using scintillation proximity assay," <i>Anal. Biochem.</i> , 1994, 223, 259-265
	DX	Slamon, D.J. et al., "Human breast cancer: correlation of relapse and survival with amplification of the HER-2/ <i>neu</i> oncogene," <i>Science</i> , 1987, 235, 177-182
	DY	Slamon, D. et al., "Studies of the HER-2/ <i>neu</i> proto-oncogene in human breast and ovarian cancer," <i>Science</i> , 1989, 244, 707-712
	DZ	Solomon, Y. et al., "A highly sensitive adenylate cyclase assay," <i>Anal. Biochem.</i> , 1974, 58, 541-548
	EA	Spiegel, A.M., "Defects in G protein-coupled signal transduction in human disease," <i>Ann. Rev. Physiol.</i> , 1995, 58, 143-170
	EB	ter Laak, A. et al., "Modelling and mutation studies on the histamine H ₁ -receptor agonist binding site reveal different binding modes for H ₁ -agonists: Asp ¹¹⁶ (TM3) has a constitutive role in receptor stimulation," <i>J. Computer-Aided Mol. Design</i> , 1995, 9, 319-330
	EC	Tiberi, M. et al., "High agonist-independent activity is a distinguishing feature of the dopamine D1B receptor subtype," <i>J. Biol. Chem.</i> , 1994, 269(45), 27925-27931
	ED	Tsujimura, T. et al., "Constitutive activation of <i>c-kit</i> in FMA3 murine mastocytoma cells caused by deletion of seven amino acids at the juxtamembrane domain," <i>Blood</i> , 1996, 87(1), 273-283
	EE	Wang, Z. et al., "Constitutive μ opioid receptor activation as a regulatory mechanism underlying narcotic tolerance and dependence," <i>Life Sci.</i> , 1994, 54(20), 339-350
✓	EF	Watowich, S.S. et al., "Homodimerization and constitutive activation of the erythropoietin receptor," <i>Proc. Natl. Acad. Sci USA</i> , 1992, 89, 2140-2144

EXAMINER

N-m R

DATE CONSIDERED

6/7/02

COPY OF PAPERS
ORIGINALLY FILED

RECEIVED

JUN 05 2002

TECH CENTER 1600/2900
Sheet 11 of 18

Form PTO-137 Modified

Docket No.
AREN-0320Serial No.
10/083,168List of Patent and Publications
Cited by Applicant
(Use several sheets if necessary)Applicant
Chen W. Liaw et al.U.S. Department of Commerce
Patent and Trademark OfficeFiling Date
February 26, 2002Group
1646

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)


NC	EG	Weber-Nordt, R.M. et al., "Constitutive activation of STAT proteins in primary lymphoid and myeloid leukemia cells and in Epstein-Barr virus (EBV)-related lymphoma cell lines," <i>Blood</i> , 1996, 88(3), 809-816
	EH	Webster, M.K. et al., "Constitutive activation of fibroblast growth factor receptor 3 by the transmembrane point mutation found in achondroplasia," <i>EMBO J.</i> , 1996, 15, 520-527
	EI	Xu, Y. et al., "Characterization of epidermal growth factor receptor gene expression in malignant and normal human cell lines," <i>Proc. Natl. Acad. Sci. USA</i> , 1984, 81, 7308-7312
	EJ	Yamada, K. et al., "Substitution of the insulin receptor transmembrane domain with the <i>c-neu/erbB2</i> transmembrane domain constitutively activates the insulin receptor kinas <i>in vitro</i> ," <i>J. Biol. Chem.</i> , 1992, 267(18), 12452-12461
	EK	Zhang, S. et al., "Identification of Dynorphins as Endogenous Ligands for an Opioid Receptor-Like Orphan Receptor," <i>J. Biol. Chem.</i> , 1995, 270, 22772-22778
	EL	Zhen, Z. et al., "Structural and functional domains critical for constitutive activation of the HGF-receptor (<i>Met</i>)," <i>Oncogene</i> , 1994, 9, 1691-1697
	EM	Pauwles, P.J. et al., "Review: Amino Acid Domains Involved in Constitutive Activation of G-Protein-Coupled Receptors", <i>Molecular Neurobiology</i> , 1998, 17, 109-135
	EN	Shryock, J. et al., "Inverse Agonists and Neutral Antagonists of Recombinant Human A1 Adenosine Receptors Stably Expressed in Chinese Hamster Ovary Cells", <i>Molecular Pharmacology</i> , 1998, 53, 886-893
	EO	Wenzel-Seifert, et al., "High Constitutive Activity of the Human Formyl Peptide Receptor", <i>Journal of Biological Chem.</i> , 1998, 273, 24181-24189
	EP	Forman, B.M. et al., "Androstane Metabolites Bind to and Deactivate the Nuclear Receptor CAR- β ", <i>Nature</i> , 1998, 395, 612-615
✓	EQ	Seifert, R. et al., "different Effects of Gs β Splice Variants on β 2-Adrenoreceptor-mediated Signaling, <i>Jrl. of Biological Chem.</i> , 1998, 273, 5109-5116

EXAMINER

DATE CONSIDERED

6/30/02

COPY OF PAPER
ORIGINALLY FILED



RECEIVED

JUN 05 2002

TECH CENTER 1600/2000 Sheet 12 of 18


Form PT-001 Modified

Docket No.
AREN-0320Serial No.
10/083,168List of Patent and Publications
Cited by Applicant
(Use several sheets if necessary)Applicant
Chen W. Liaw, et al.U.S. Department of Commerce
Patent and Trademark OfficeFiling Date
February 26, 2002Group
1646

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

✓	ER	Abola, A.P., et al., "Omo sapiens chromosome 13 clone RP11-286P8, complete sequence," AC026756 XP-002175912, April 24, 2000, 1-41
✓	ES	Adams, M.D., et al., "CIT-HSP-2286K19.TF CIT-HSP homo sapiens genomic clone 2286K19, genomic survey sequence," AQ001459, XP-002175783, August 24, 2001, 1 page
✓	ET	Birren, B., et al., "Homo sapiens chromosome 11, clone RP11-589F4," AC027026, XP002175913, April 27, 2000, 1-40
✓	EU	Birren, B., et al., "Homo sapiens clone RP11-15H8, 31 unordered pieces," AC011780, XP002175781, October 18, 1999, 1-46
✓	EV	Birren, B., et al., "Homo sapiens clone RP11-14N15," AC016468, XP002175784, December 1, 1999, 1-38
✓	EW	Boyer, J.L., et al., "Molecular cloning and expression of an avian G protein-coupled P2Y receptor," <i>Am. Soc. For Pharmacology & Experimental Therapeutics</i> , XP-002175907, 1997, 928-934
✓	EX	Burton, J., et al., "Human DNA sequence from clone RP11-163L4," A1161458, XP002175911, April 16, 2000, 1-39
✓	EY	Burton, J., "Human DNA sequence from clone RP11-15909," AL136106, XP002175785, January 7, 2000
✓	EZ	Collier, R., "DJ68ON, 3 (G-protein coupled receptors) (fragment)," Accession Nr. Q9NTTO, XP002168498, January 10, 2001, 1 page
✓	FA	Doe Joint Genome Institute, "Homo sapiens chromosome 5 clone CTC-502M5, complete sequence," AC008547, XP002175786, August 4, 1999, 1-30
EXAMINER		DATE CONSIDERED 6/30/02

COPY OF PAPERS
ORIGINALLY FILED



RECEIVED

JUN 05 2002

TECH CENTER 1600/2900

Sheet 13 of 18

Form PTO-1449 Modified

Docket No.
AREN-0320Serial No.
10/083,168List of Patent and Publications
Cited by Applicant
(Use several sheets if necessary)Applicant
Chen W. Liaw, et al.U.S. Department of Commerce
Patent and Trademark OfficeFiling Date
February 26, 2002Group
1646


OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

FB	Doe Joint Genome Institute, "Homo sapiens chromosome 19 clone CTD-3023J11, complete sequence," AC008754, XP002175778, August 4, 1999, 1-18
FC	Doe Joint Genome Institute, "Sequencing of human chromosome 5," AC008728, XP002175776, August 4, 1999, 1-42
FD	Gempscue, "Drosophila melanogaster genome survey sequence TET3 end of BAC # BACRO8K10 of RPCI-98 library from drosophila melanogaster (fruit fly)," AL065769, XP00217590
FE	Hattori, M., et al., "Homo sapiens 171, 539 genomic of 11q13," AP000808, XP002175780, December 3, 1999, 1-45
FF	Heise, C.E., et al., "Characterization of the human cysteinyl leukotriene 2 receptor," <i>J. Biological Chemistry</i> , September 29, 2000, 275(39), 30531-30536
FG	Kjelsberg, M.A., et al., "constitutive activation of the α_{1B} -adrenergic receptor by all amino acid substitutions at a single site," <i>J. Biological Chemistry</i> , XP-002135768, 1992, 265(3), 1430-1433
FH	Mahairas, G.G., et al., "Sequence-tagged connectors: A sequence approach to mapping and scanning the human genome," <i>Proc. Natl. Acad. Sci. USA</i> , August 1999, 96, 9739-9744
FI	Marchese, A., et al., "Novel GPCRs and their endogenous ligands: expanding the boundaries of physiology and pharmacology," <i>TiPS</i> , September 1999, 20, 370-375
FJ	O'Dowd, B.F., et al., "Discovery of three novel G-protein-coupled receptor genes," <i>Genomics</i> , XP-000863786, 1998, 310-313
FK	Ohono, M., et al., "Homo sapiens mRNA for G protein-coupled receptor C5L2, complete cds," AB038237, XP002175947, May 4, 2000, 1 page
FL	Stadel, J.M., et al., "Orphan G protein-coupled receptors: a neglected opportunity for pioneer drug discovery," <i>TiPS</i> , November 1997, 18, 430-437

EXAMINER

DATE CONSIDERED 6/30/02

COPY OF PAPERS
ORIGINALLY FILED



● RECEIVED


JUN 05 2002

TECH CENTER 1600/2900

Sheet 14 of 18

Form PTO-1449 Modified List of Patent and Publications Cited by Applicant (Use several sheets if necessary) U.S. Department of Commerce Patent and Trademark Office		Docket No. AREN-0320	Serial No. 10/083,168
		Applicant Chen W. Liaw, et al.	
		Filing Date February 26, 2002	Group 1646
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)			
<i>FM</i>	FM	Stone, N., et al., "Homo sapiens chomosome 4, 16 unordered pieces," AC007104, XP002175914, April 23, 1999, 1-52	
	FN	Wallis, J., "Human DNA sequence from clone RP5-1160K1," AL355310, XP002175782, May 5, 2000, 1-39	
	FO	Waterson, R.H., "homo sapiens chromosome 2 clone RP11-510c1," AC010984, XP002175915, September 29, 1999, 1-50	
	FP	Weinshank, R.H., "5-hydroxytryptamine 1B receptor (-HT-1B) (serotonin receptor)," AC 008892, XP002175948, July 15, 1998, 1 page	
	FQ	Zhao, S., et al., "Use of BAC end sequences from library RPCI-11 for sequence-ready map building," AQ532303, XP002175779, May 18, 1999, 1 page	
	FR	PCT International Search Report dated September 19, 2001	
	FS	Watson, S. et al., "The G-Protein linked receptor facts book", <i>Academic Press</i> , 2-6, 162-169	
	FT	Rudinger, J. et al., <i>Peptide Hormones</i> , J.A. Parsons, Unoversity Park Press, Baltimore, 1-7	
EXAMINER		DATE CONSIDERED	
<i>N. J. m</i>		<i>6/30/02</i>	

COPY OF PAPERS
ORIGINALLY FILED



RECEIVED

JUN 05 2002
Sheet 15 of 18TECH CENTER 1600/2900
Serial No. 09/170,496



Form BT-01449 Modified

Docket No.
AREN-0040Applicant
Liaw, et al.List of Patent and Publications
Cited by Applicant
(Use several sheets if necessary)Filing Date
October 13, 1998Group
1646U.S. Department of Commerce
Patent and Trademark Office

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

	FU	Bergsma, D.J., et al., "Cloning and characterization of a human angiotensin II type 1 receptor," <i>Biochem. & Biophys. Res. Comm.</i> , 1992, XP-002145165, 183(3), 989-995
	FV	Gantz, I., et al., "Molecular cloning, expression, and gene localization of a fourth melanocortin receptor," <i>J. Biol. Chem.</i> , 1993, XP-002051983, 268(20), 15174-15178
	FW	Groblewski, T., et al., "Mutation of Asn ¹¹¹ in the third transmembrane domain of the AT ₁ angiotensin II receptor induces its constitutive activation," <i>J. Biol. Chem.</i> , 1997, XP-002145162, 272(3), 1822-1826
	FX	Koike, G., et al., "Human type 2 angiotensin II receptor gene: cloned, mapped to the X chromosome, and its mRNA is expressed in the human lung," <i>Biochem. And Biophys. Res. Comm.</i> , 1994, XP-002145166, 203(3), 1842-1850
	FY	Kyaw, H., et al., "Cloning, characterization, and mapping of human homolog of mouse T-cell death-associated gene," <i>DNA and Cell Biology</i> , 1998, XP000929737, 17(6), 493-500
	FZ	Noda, K., et al., "The active state of the AT ₁ angiotensin receptor is generated by angiotensin II induction," <i>Biochem.</i> , 1996, XP-002145163, 35, 16435-16442
	GA	Reppert, S.M., et al., "Cloning of a melatonin-related receptor from human pituitary," <i>FEBS Letts.</i> , 1996, XP-002145161, 219-2254
	GB	Scheer, A., et al., "Constitutively active G protein-coupled receptors: potential mechanisms of receptor activation," <i>J. Receptor & Signal Transduction Res.</i> , 1997, XP-000867531, 17(1-3), 57-73
EXAMINER		
DATE CONSIDERED		6/20/02

COPY OF PAPERS
ORIGINALLY FILED



RECEIVED

JUN 05 2002

TECH CENTER 1600/2900
Sheet 16 of 18

Form PTO-144 Modified

List of Patent and Publications
Cited by Applicant
(Use several sheets if necessary)U.S. Department of Commerce
Patent and Trademark OfficeDocket No.
AREN-0320Serial No.
10/083,168Applicant
Chen W. Llaw, et al.Filing Date
February 26, 2002Group
1646

U. S. PATENT DOCUMENTS

Examiner Initial		Document No.	Date	Name	Class	Subclass
W	GC	5,861,309	01/19/99	Bard, et al.	135	325
L	GD	5,891,720	04/06/99	Moore, et al.	435	325
L	GE	5,955,308	09/21/99	Bergsma, et al.	435	69.1

FOREIGN PATENT DOCUMENTS

Examiner Initial		Document No.	Date	Country	Translation	
					YES	NO
W	GF	WO 96/05302	02/22/96	PCT		
L	GG	WO 97/21731	06/19/97	PCT		
L	GH	WO 98/29439	07/09/98	PCT		
L	GI	WO 98/46620	10/22/98	PCT		
L	GJ	WO 98/56820	12/17/98	PCT		
L	GK	WO 99/06552	02/11/99	PCT		
L	GL	WO 99/32519	07/01/99	PCT		
L	GM	WO 99/48921	09/30/99	PCT		
L	GN	WO 00/14229	03/16/00	PCT	X (abstract)	
L	GO	WO 00/22131	04/20/00	PCT		
L	GP	WO 00/49046	08/24/00	PCT	X (abstract)	
L	GQ	WO 01/07606 A1	02/01/01	PCT		
L	GR	WO 01/09184 A1	02/08/01	PCT		
L	GS	WO 01/12673 A1	02/22/01	PCT		
EXAMINER		W S R		DATE CONSIDERED		
				6/30/02		

COPY OF PAPERS
ORIGINALLY FILED



JUN 05 2002

TECH CENTER 1600/2900
Sheet 17 of 18

[illegible]

OIPE
 MAY 28 2002
 DATE CANCELLED
 PATENT & TRADEMARK OFFICE

OIPE
 MAY 29 2002
 PATENT & TRADEMARK OFFICE

RECEIVED
 JUN 05 2002
 TECH CENTER 1608/2500

Form PTO-1449 Modified List of Patent and Publications Cited by Applicant (Use several sheets if necessary) U.S. Department of Commerce Patent and Trademark Office	Docket No. AREN-0320	Serial No. 10/083,168
	Applicant Chen W. Liaw et al.	
	Filing Date February 26, 2002	Group 1646

U. S. PATENT DOCUMENTS

Examiner Initial		Document No.	Date	Name	Class	Subclass
	HF	5,514,578	05/07/96	Hogness et al.	435	240.2
	HG	5,532,157	07/02/96	Fink	435	240.2
	HH	5,573,944	11/12/96	Kirschner et al.	435	252.3
	HI	5,639,616	06/17/97	Liao et al.	435	7.1
	HJ	5,750,353	05/12/98	Kopin et al.	435	7.21

FOREIGN PATENT DOCUMENTS

Examiner Initial		Document No.	Date	Country	Translation	
					YES	NO
	HK	WO 97/11159	09/20/96	PCT	X	
	HL	WO 97/21731 A	06/19/97	PCT	X	
	HM	WO 98/38217 A	09/03/98	PCT	X	
	HN	WO 98/46995	10/22/98	PCT	X	
	HO	WO 99/52927	10/21/99	PCT	X	
	HP	WO 98/00552	01/08/98	PCT	X	
	HQ	WO 98/34948	08/13/98	PCT	X	
	HR	WO/99 24569	05/20/99	Japan	X	
	HS	2,135,253	08/05/96	Canada	X	

EXAMINER N-PH	DATE CONSIDERED 6/30/02
----------------------	--------------------------------

COPY OF PAPERS
 ORIGINALLY FILED